

Reference No.: SZ2017070513-1R1E Date: Aug. 23, 2017 Page No.: 1 of 26

Client: Mid Ocean Brands B.V..

Address: Unit 201, 2/F, Laford Centre, 838 Lai Chi Kok Road, Cheung Sha Wan, Kowloon, Hong Kong.

The following merchandise was (were) submitted and identified by the client as:

Name of Product: Torch Tested Main Model: IT3342

May Cover Model: KC1089, MO8472, KC6869, 10436

Sample Received: Jul. 14, 2017

Aug. 16, 2017

Test Period: Jul. 14, 2017 - Aug. 23, 2017

As requested by the client, According to RoHS Directive 2011/65/EU(RoHS 2.0) and its subsequent amendments Directive (EU) 2015/863. Split the sample and determine the Pb, Cd, Hg, Cr (VI), PBBs, PBDEs content of the parts.

Test Items Conclusion

RoHS Directive 2011/65/EU(RoHS 2.0) **PASS**

THIS REPORT IS TO SUPERSEDE TEST REPORT SZ2017070513-1E.

Prepared By: Reviewed By:

Ada. Wang

Cookie. Chen **Testing Engineer Project Supervisor** Issued By

Lab Manager

STQ Testing Services Co., Ltd.

Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802 Technical service: TS@stq-cert.com Customer service: CS@stq-cert.com

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park, China,215123

Web:www.stq-cert.com



Reference No.: SZ2017070513-1R1E Date: Aug. 23, 2017 Page No.: 2 of 26

TEST METHOD:

- 1. Sample prepared with reference to IEC 62321-2:2013 Determination of certain substances in electrotechnical products Part 2: Disassembly, disjunction and mechanical sample preparation
- 2. Sample Screening testing with reference to IEC 62321-3-1:2013 Determination of certain substances in electrotechnical products Part 3-1: Screening Lead, mercury, cadmium, total chromium and total bromine using X-ray fluorescence spectrometry.
- 3. Wet Chemical Test Method
 - a. Determination of Lead ,Cadmium by ICP-OES with reference to IEC 62321-5:2013
 - b. Determination of Mercury by ICP-OES with reference to IEC 62321-4:2013
 - c. Determination of Hexavalent Chromium by Spot test or UV-Vis Method with reference to IEC 62321-7-1: 2015 or IEC 62321-7-2:2017
 - d. Determination of PBBs and PBDEs by GC-MS with reference to IEC 62321-6:2015

****** To be continued *******

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802

Technical service: <u>TS@stq-cert.com</u> Customer service: <u>CS@stq-cert.com</u>

Web:www.stq-cert.com



Date: Aug. 23, 2017 Reference No.: SZ2017070513-1R1E Page No.: 3 of 26

TEST RESULTS:

Part No.	Part Description	Restricted Substances	Result of EDXRF(1)	Result of Chemical Testing(2) (mg/kg)	Part Photos
		Pb	BL		
		Cd	BL		
4.44	Silvery metal	Hg	BL		
1#	shell	Cr(VI)	BL		
		PBBs			
		PBDEs			
		Pb	BL		
		Cd	BL		
2#	Grey string	Hg	BL		
2#		Cr(VI)	BL		
Ī		PBBs	BL		
		PBDEs	BL		
		Pb	BL		
		Cd	BL		
3#	Silvery metal	Hg	BL		
	sheet	Cr(VI)	IN	Negative	
		PBBs			
		PBDEs			



Reference No. : SZ2017070513-1R1E Date : Aug. 23, 2017 Page No. : 4 of 26

Part No.	Part Description	Restricted Substances	Result of EDXRF(1)	Result of Chemical Testing(2) (mg/kg)	Part Photos
		Pb	IN	158	
		Cd	BL		
4#	Silvery metal	Hg	BL		
- 1 117	ring	Cr(VI)	BL		
		PBBs			
		PBDEs			
		Pb	IN	118	
		Cd	BL		
5#	Silvery metal	Hg	BL		
<i>o</i>	spring	Cr(VI)	BL		
F. C.		PBBs			
		PBDEs			
		Pb	BL		
		Cd	BL		
6#	Black plastic	Hg	BL		
0"	base	Cr(VI)	BL		
		PBBs	BL		
		PBDEs	<u> </u>		
		Pb	BL		
7#		Cd	BL		
	Black rubber	Hg	BL		
Ι π	washer	Cr(VI)	BL		
		PBBs PBDEs	BL		

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802



Reference No. : SZ2017070513-1R1E Date : Aug. 23, 2017 Page No. : 5 of 26

Part No.	Part Description	Restricted Substances	Result of EDXRF(1)	Result of Chemical Testing(2) (mg/kg)	Part Photos
		Pb	BL		
		Cd	BL		
8#	Silvery metal	Hg	BL		
0#	pin	Cr(VI)	BL		
		PBBs			
		PBDEs			
		Pb	BL		
		Cd	BL		
9#	Black rubber	Hg	BL		
3#	plug	Cr(VI)	BL		000
		PBBs	BL		*****
		PBDEs	DE .		
		Pb	BL		
		Cd	BL		
10#	Black plastic	Hg	BL		
1011	frame	Cr(VI)	BL		A 2
		PBBs	BL		
		PBDEs	DE		
		Pb	BL		
11#		Cd	BL		
	White plastic	Hg	BL		
1117	switch	Cr(VI)	BL		000
		PBBs	BL		
		PBDEs)		

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802



Reference No. : SZ2017070513-1R1E Date : Aug. 23, 2017 Page No. : 6 of 26

Part No.	Part Description	Restricted Substances	Result of EDXRF(1)	Result of Chemical Testing(2) (mg/kg)	Part Photos
		Pb	BL		
		Cd	BL		
12#	Grey plastic	Hg	BL		
12#	switch	Cr(VI)	BL		000
		PBBs	BL		
		PBDEs	BL		
		Pb	BL		
		Cd	BL		
13#	Silvery metal	Hg	BL		
13#	spring	Cr(VI)	BL		000
		PBBs			
Ī		PBDEs			
		Pb	BL		
		Cd	BL		
14#	Silvery metal	Hg	BL		
1-111	contact sheet	Cr(VI)	BL		000
		PBBs			
		PBDEs			
		Pb	BL		
		Cd	BL		
15#	White plastic	Hg	BL		
10π	frame	Cr(VI)	BL		N. S.
		PBBs PBDEs	BL		

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802



Reference No. : SZ2017070513-1R1E Date : Aug. 23, 2017 Page No. : 7 of 26

Part No.	Part Description	Restricted Substances	Result of EDXRF(1)	Result of Chemical Testing(2) (mg/kg)	Part Photos
		Pb	BL		
		Cd	BL		
16#	Silvery metal	Hg	BL		
10#	spring	Cr(VI)	BL		
		PBBs			
		PBDEs			The second second
		Pb	BL		
		Cd	BL		
17#	Silvery metal	Hg	BL		
17"	contact sheet	Cr(VI)	BL		The state of the s
		PBBs			
		PBDEs			
		Pb	BL		
		Cd	BL		
18#	Silvery metal	Hg	BL		
10"	ring	Cr(VI)	BL		
		PBBs			
		PBDEs			
		Pb	BL		
		Cd	BL		/
19#	Silvery plastic	Hg	BL		
1.511	part	Cr(VI)	BL		
		PBBs PBDEs	BL		

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802



Reference No. : SZ2017070513-1R1E Date : Aug. 23, 2017 Page No. : 8 of 26

Part No.	Part Description	Restricted Substances	Result of EDXRF(1)	Result of Chemical Testing(2) (mg/kg)	Part Photos
		Pb	BL		
		Cd	BL		
20#	Transparent	Hg	BL		
20#	LED	Cr(VI)	BL		
		PBBs	IN	N.D.	
		PBDEs	IIV	N.D.	
		Pb	IN	152	
		Cd	IN	N.D.	
21#	Silvery metal	Hg	BL		
	solder	Cr(VI)	BL		00 som 00
E 0.		PBBs			26 30
		PBDEs			
		Pb	IN	19	
		Cd	IN	N.D.	
22#	Silvery metal	Hg	BL		
ZZII	solder	Cr(VI)	BL		00 2000 00
		PBBs			* 6 6 9
		PBDEs			
		Pb	BL		
23#	Green PCB	Cd	BL		
		Hg	BL		
20π	Oldon I OD	Cr(VI)	BL		00 2000 00
		PBBs	IN	N.D.	200
		PBDEs	114	N.D.	

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802



Reference No. : SZ2017070513-1R1E Date : Aug. 23, 2017 Page No. : 9 of 26

Part No.	Part Description	Restricted Substances	Result of EDXRF(1)	Result of Chemical Testing(2) (mg/kg)	Part Photos
		Pb	BL		
		Cd	BL		
24#	Transparent	Hg	BL		
2-1π	glass	Cr(VI)	BL		
		PBBs			
		PBDEs			
		Pb	BL		
		Cd	BL		
25#	Red plastic	Hg	BL		
20#	shell	Cr(VI)	BL		
		PBBs	BL		
		PBDEs	DE .		
		Pb	BL		
		Cd	BL		
26#	Grey plastic	Hg	BL		
20#	ring	Cr(VI)	BL		
		PBBs	BL		
		PBDEs	DL		
		Pb	BL		
		Cd	BL		
27#	Black string	Hg	BL		
21#	Diack Stillig	Cr(VI)	BL		
		PBBs	BL		
		PBDEs	DL		

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802



Reference No. : SZ2017070513-1R1E Date : Aug. 23, 2017 Page No. : 10 of 26

Part No.	Part Description	Restricted Substances	Result of EDXRF(1)	Result of Chemical Testing(2) (mg/kg)	Part Photos
		Pb	BL		
		Cd	BL		
28#	Transparent	Hg	BL		
20#	plastic sheet	Cr(VI)	BL		
		PBBs	BL		Parties of the same
		PBDEs			
		Pb	BL		
		Cd	BL		
29#	Black plastic	Hg	BL		
2011	switch	Cr(VI)	BL		
2.5		PBBs	BL		X IIII I
		PBDEs			
		Pb	BL		
		Cd	BL		
30#	Silvery metal	Hg	BL		
0011	shell	Cr(VI)	IN	Negative	4 1 1 1 10
		PBBs			
		PBDEs			
		Pb	BL		
31#		Cd	BL		
	Silvery metal	Hg	BL		
3116	sliding block	Cr(VI)	BL		A B VIII W
		PBBs			
		PBDEs			

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802



Reference No. : SZ2017070513-1R1E Date : Aug. 23, 2017 Page No. : 11 of 26

Part No.	Part Description	Restricted Substances	Result of EDXRF(1)	Result of Chemical Testing(2) (mg/kg)	Part Photos
		Pb	BL		
		Cd	BL		
20#	Brown base	Hg	BL		
32#	board	Cr(VI)	BL		A 1 1 1 20 00
		PBBs	D.		
		PBDEs	BL		
		Pb	IN	N.D.	
		Cd	BL		
33#	Silvery metal	Hg	BL		
33#	pin	Cr(VI)	BL		
		PBBs			
		PBDEs			
		Pb	BL		
		Cd	BL		
34#	Black plastic	Hg	BL		
34#	part	Cr(VI)	BL		
		PBBs	IN	N.D.	
		PBDEs	IIN	431	
		Pb	BL		
35#	Silvery metal shell	Cd	BL		
		Hg	BL		
		Cr(VI)	BL		
		PBBs			
		PBDEs	- 		

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802



Reference No. : SZ2017070513-1R1E Date : Aug. 23, 2017 Page No. : 12 of 26

Part No.	Part Description	Restricted Substances	Result of EDXRF(1)	Result of Chemical Testing(2) (mg/kg)	Part Photos
		Pb	BL		
		Cd	BL		
36#	White plastic	Hg	BL		
30#	frame	Cr(VI)	BL		
		PBBs	BL		
		PBDEs	DL		
		Pb	IN	44	
		Cd	BL		
37#	Silvery metal	Hg	BL		
31#	pin	Cr(VI)	BL		
		PBBs			
		PBDEs			
		Pb	IN	108	
		Cd	BL		
38#	Coppery metal	Hg	BL		
30#	wire	Cr(VI)	BL		5 12 3
		PBBs			
		PBDEs			
		Pb	IN	N.D.	
39#		Cd	BL		
	Silvery metal	Hg	BL		
00#	wire	Cr(VI)	BL		1 2 18
		PBBs			
		PBDEs			

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802



Reference No. : SZ2017070513-1R1E Date : Aug. 23, 2017 Page No. : 13 of 26

Part No.	Part Description	Restricted Substances	Result of EDXRF(1)	Result of Chemical Testing(2) (mg/kg)	Part Photos
		Pb	BL		
		Cd	BL		
40#	Red wire jacket	Hg	BL		
40#	ited wife jacket	Cr(VI)	BL		
		PBBs	BL		
		PBDEs	BL .		
		Pb	BL		
		Cd	BL		
41#	Black wire	Hg	BL		200
	jacket	Cr(VI)	BL		
		PBBs	BL		
		PBDEs			
		Pb	BL		
		Cd	BL		
42#	Red wire jacket	Hg	BL		200
12	Trou mio juonor	Cr(VI)	BL		
		PBBs	BL		
		PBDEs	DL		
	Pb	BL			
		Cd	BL		
43#	Orange plastic	Hg	BL		
-10π	shell	Cr(VI)	BL		
		PBBs PBDEs	BL		

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802



Reference No.: SZ2017070513-1R1E Date: Aug. 23, 2017 Page No.: 14 of 26

Part No.	Part Description	Restricted Substances	Result of EDXRF(1)	Result of Chemical Testing(2) (mg/kg)	Part Photos
		Pb	BL		
		Cd	BL		/
44#	Blue plastic	Hg	BL		
44#	shell	Cr(VI)	BL		
		PBBs	BL		
		PBDEs	DL		
		Pb	BL		
		Cd	BL		,
45#	White plastic	Hg	BL		
45#	shell	Cr(VI)	BL		3
		PBBs	BL		
		PBDEs			
		Pb	BL		
		Cd	BL		1
46#	Silvery metal ring	Hg	BL		
		Cr(VI)	IN	Negative	
		PBBs			
		PBDEs			

******* To be continued *******



Reference No. : SZ2017070513-1R1E Date : Aug. 23, 2017 Page No. : 15 of 26

Remark:

(1) (a) It is the result on total Br while test item on restricted substances is PBBs/PBDEs. It is the result on total Cr while test item on restricted substances is Cr⁶⁺.

(b)Results are obtained by EDXRF for primary screening, and further chemical testing by ICP-OES (for Cd, Pb, Hg), UV-Vis (for Cr⁶⁺) and GC/MS (for PBBs, PBDEs) is recommended to be performed, if the concentration exceeds the below warning value according to IEC62321-3-1:2013 (unit: mg/kg)

Element	Polymer	Metal	Composite Materials
Cd	BL≤(70-3σ) <x<(130+3σ) td="" ≤ol<=""><td>BL≤(70-3σ)<x<(130+3σ) td="" ≤ol<=""><td>LOD<x<(150+3σ) td="" ≤ol<=""></x<(150+3σ)></td></x<(130+3σ)></td></x<(130+3σ)>	BL≤(70-3σ) <x<(130+3σ) td="" ≤ol<=""><td>LOD<x<(150+3σ) td="" ≤ol<=""></x<(150+3σ)></td></x<(130+3σ)>	LOD <x<(150+3σ) td="" ≤ol<=""></x<(150+3σ)>
Pb	BL≤(700-3σ) <x<(1300+3σ) td="" ≤ol<=""><td>BL≤(700-3σ)<x<(1300+3σ) td="" ≤ol<=""><td>BL≤(500-3σ)<x<(1500+3σ) td="" ≤ol<=""></x<(1500+3σ)></td></x<(1300+3σ)></td></x<(1300+3σ)>	BL≤(700-3σ) <x<(1300+3σ) td="" ≤ol<=""><td>BL≤(500-3σ)<x<(1500+3σ) td="" ≤ol<=""></x<(1500+3σ)></td></x<(1300+3σ)>	BL≤(500-3σ) <x<(1500+3σ) td="" ≤ol<=""></x<(1500+3σ)>
Hg	BL≤(700-3σ) <x<(1300+3σ) td="" ≤ol<=""><td>BL≤(700-3σ)<x<(1300+3σ) td="" ≤ol<=""><td>BL≤(500-3σ)<x<(1500+3σ) td="" ≤ol<=""></x<(1500+3σ)></td></x<(1300+3σ)></td></x<(1300+3σ)>	BL≤(700-3σ) <x<(1300+3σ) td="" ≤ol<=""><td>BL≤(500-3σ)<x<(1500+3σ) td="" ≤ol<=""></x<(1500+3σ)></td></x<(1300+3σ)>	BL≤(500-3σ) <x<(1500+3σ) td="" ≤ol<=""></x<(1500+3σ)>
Br	BL≤(300-3σ) <x< td=""><td></td><td>BL≤(250-3σ)<x< td=""></x<></td></x<>		BL≤(250-3σ) <x< td=""></x<>
Cr	BL≤(700-3σ) <x< td=""><td>BL≤(700-3σ)<x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<></td></x<>	BL≤(700-3σ) <x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<>	BL≤(500-3σ) <x< td=""></x<>

- (c) BL = Below Limit, OL = Over Limit, IN = Inconclusive, LOD = Limit of Detection,
 - -- = Not Regulated, NA = Not Applicable.
- (d) The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- (2) (a) mg/kg = ppm = 0.0001%, N.D.= Not Detected (<MDL), --- = Not Conducted.
 - (b) Unit and Method Detection Limit (MDL) in wet chemical test

Test Items	Pb	Cd	Hg
Units	mg/kg	mg/kg	mg/kg
MDL	2	2	2

The MDL for single compound of PBBs & PBDEs is 5 mg/kg and MDL of Cr⁶⁺ for polymer & composite sample is 2 mg/kg.

(c) According to IEC 62321-7-1:2015, result on Cr⁶⁺ for metal sample is shown as Positive/Negative.

Positive = Presence of Cr⁶⁺ coating, Negative = Absence of Cr⁶⁺ coating.

(3) RoHS Requirement

Restricted substances	Limits
Lead (Pb)	0.1% (1000mg/kg)
Cadmium (Cd)	0.01% (100mg/kg)
Mercury (Hg)	0.1% (1000mg/kg)
Chromiun (VI) (Cr ⁶⁺)	0.1% (1000mg/kg)
Polybrominated biphenyls (PBBs)	0.1% (1000mg/kg)
Polybrominated diphenyl ethers (PBDEs)	0.1% (1000mg/kg)

 $(4)^{\Delta}$ The sample 25#-46# were conducted from the new sample, and the test period was Aug. 16, 2017 to Aug. 23, 2017.

****** To be continued ******

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123
Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802 Web:www.stq-cert.com



Reference No.: SZ2017070513-1R1E Date: Aug. 23, 2017 Page No.: 16 of 26

(5)RoHS Exemptions

(5)RoHS Exemptions			
Exemptions			
RoHS Directive 2011/65/EU ANNEX III and its subsequent amendments			
Exemption Items	Expires Date		
1, Mercury in single capped (compact) fluorescent lamps not exceeding (per			
burner):			
1(a), For general lighting purposes < 30 W:2.5 mg			
1(b), For general lighting purposes≥ 30 W and < 50W:3.5mg			
1(c), For general lighting purposes ≥ 50 W and < 150 W: 5 mg			
1(d), For general lighting purposes ≥ 150 W: 15 mg			
1(e), For general lighting purposes with circular or square structural shape			
and tube diameter ≤ 17 mm: 7 mg			
1(f), For special purposes: 5 mg			
1(g), For general lighting purposes < 30 W with a lifetime equal or above 20 000 h: 3,5 mg	Expires on 31 December 2017		
2(a), Mercury in double-capped linear fluorescent lamps for general lighting			
purposes not exceeding (per lamp):			
2(a)(1), Tri-band phosphor with normal lifetime and a tube diameter < 9 mm			
(e.g. T2): 4 mg			
2(a)(2), Tri-band phosphor with normal lifetime and a tube diameter ≥ 9 mm			
and ≤ 17 mm (e.g. T5): 3 mg			
2(a)(3), Tri-band phosphor with normal lifetime and a tube diameter > 17 mm and ≤ 28 mm (e.g. T8):3.5mg			
2(a)(4), Tri-band phosphor with normal lifetime and a tube diameter > 28 mm			
(e.g. T12): 3.5 mg			
2(a)(5), Tri-band phosphor with long lifetime (≥ 25 000 h): 5 mg			
2(b), Mercury in other fluorescent lamps not exceeding (per lamp):	F : 40 A :10040		
2(b)(2), Non-linear halophosphate lamps (all diameters): 15 mg	Expires on 13 April 2016		
2(b)(3), Non-linear tri-band phosphor lamps with tube diameter > 17 mm (e.g. T9):15mg			
2(b)(4), Lamps for other general lighting and special purposes (e.g. induction lamps):15mg			
3, Mercury in cold cathode fluorescent lamps and external electrode fluorescent			
lamps (CCFL and EEFL) for special purposes not exceeding (per lamp):			
3(a), Short length (≤500 mm):3.5mg			
3(b), Medium length (> 500 mm and ≤ 1 500 mm):5mg			
3(c), Long length (> 1 500 mm):13mg			
4(a), Mercury in other low pressure discharge lamps (per lamp):15mg			
4(b), Mercury in High Pressure Sodium (vapour) lamps for general lighting			
purposes not exceeding (per burner) in lamps with improved colour rendering			
index Ra > 60:			
4(b) -I, P ≤155 W:30mg			
4(b) -II, 155 W < P ≤ 405 W:40mg			
4(b) -III, P > 405 W:40mg			
4(c), Mercury in other High Pressure Sodium (vapour) lamps for			
general lighting purposes not exceeding (per burner):	_		
4(c)-I, P ≤ 155 W:25mg			
4(c)-II, 155 W < P ≤ 405 W:30mg			

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802



Reference No.: SZ2017070513-1R1E Date: Aug. 23, 2017 Page No.: 17 of 26

Exemptions RoHS Directive 2011/65/EU ANNEX III and its subsequent amendments		
4(c)-III, P > 405 W:40mg		
4(e), Mercury in metal halide lamps (MH)		
4(f), Mercury in other discharge lamps for special purposes not specifically		
mentioned in this Annex		
4(g), Mercury in hand crafted luminous discharge tubes used for signs, decorative	Expires on 31 December 2018'	
or architectural and specialist lighting and light-artwork, where the mercury content	·	
shall be limited as follows:		
(a) 20 mg per electrode pair+0,3mg per tube length in cm, but not more than 80		
mg, for outdoor applications and indoor applications exposed to temperatures		
below 20 ℃;		
(b) 15 mg per electrode pair+0,24mg per tube length in cm, but not more than 80		
mg, for all other indoor applications		
5(a), Lead in glass of cathode ray tubes		
5(b), Lead in glass of fluorescent tubes not exceeding 0,2 % by weight		
6(a), Lead as an alloying element in steel for machining purposes and in		
galvanized steel containing up to 0,35 % lead by weight		
6(b), Lead as an alloying element in aluminium containing up to 0,4 % lead by		
weight		
6(c), Copper alloy containing up to 4 % lead by weight		
7(a), Lead in high melting temperature type solders (i.e. lead- based alloys		
containing 85 % by weight or more lead)		
7(b), Lead in solders for servers, storage and storage array systems, network		
infrastructure equipment for switching, signalling, transmission, and network		
management for telecommunications		
7(c)-I, Electrical and electronic components containing lead in a glass or ceramic		
other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a		
glass or ceramic matrix compound		
7(c)-II, Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or		
250 V DC or higher		
7(c)-III, Lead in dielectric ceramic in capacitors for a rated voltage of less than 125	Expires on 1 January 2013 and	
V AC or 250 V DC	after that date may be used in	
	spare parts for EEE placed on the	
	market before 1 January 2013	
7(c)- $\!\operatorname{IV}$, Lead in PZT based dielectric ceramic materials for capacitors being part of	Expires on 21 July 2016	
integrated circuits or discrete semiconductors		
8(a), Cadmium and its compounds in one shot pellet type thermal cut-offs	Expires on 1 January 2012 and	
	after that date may be used in	
	spare parts for EEE placed on the	
	market before 1 January 2012	
8(b), Cadmium and its compounds in electrical contacts		
9, Hexavalent chromium as an anticorrosion agent of the carbon steel cooling		
system in absorption refrigerators up to 0,75 % by weight in the cooling solution		

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802



Reference No.: SZ2017070513-1R1E Date: Aug. 23, 2017 Page No.: 18 of 26

Exemptions			
RoHS Directive 2011/65/EU ANNEX III and its subsequent amendments			
Exemption Items	Expires Date		
9(b), Lead in bearing shells and bushes for refrigerant- containing compressors for heating, ventilation, air conditioning and refrigeration (HVACR) applications	Applies to categories 8, 9 and 11; expires on: — 21 July 2023 for category 8 in vitro diagnostic medical devices, —21 July 2024 for category 9 industrial monitoring and control		
	instruments and for category 11, —21 July 2021 for other subcategories of categories 8 and 9.		
9(b)-(I), Lead in bearing shells and bushes for refrigerant- containing hermetic scroll compressors with a stated electrical power input equal or below 9 kW for heating, ventilation, air conditioning and refrigeration (HVACR) applications	Applies to category 1; expires on 21 July 2019.		
11(a), Lead used in C-press compliant pin connector systems	May be used in spare parts for EEE placed on the market before 24 September 2010		
11(b), Lead used in other than C-press compliant pin connector systems	Expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013		
12, Lead as a coating material for the thermal conduction module C-ring	May be used in spare parts for EEE placed on the market before 24 September 2010		
13(a), Lead in white glasses used for optical applications	24 September 2010 Applies to all categories; expires		
	on:		
	— 21 July 2023 for category 8 in		
	vitro diagnostic medical devices;		
	—21 July 2024 for category 9		
	industrial monitoring and control		
	instruments and for category 11; — 21 July 2021 for all other categories and subcategories		

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802



Reference No. : SZ2017070513-1R1E Date : Aug. 23, 2017 Page No. : 19 of 26

Exemptions		
RoHS Directive 2011/65/EU ANNEX III and its subsequent amendments		
Exemption Items	Expires Date	
13(b),Cadmium and lead in filter glasses and glasses used for reflectance	Applies to categories 8, 9 and 11;	
standards	expires on:	
	— 21 July 2023 for category 8 in	
	vitro diagnostic medical devices;	
	—21 July 2024 for category 9	
	industrial monitoring and control	
	instruments and for category 11;	
	—21 July 2021 for other	
	subcategories of categories 8 and	
	9	
13(b)-(I),Lead in ion coloured optical filter glass types	Applies to categories 1 to 7 and 10	
	expires on 21 July 2021 for	
	categories 1 to 7 and 10'	
13(b)-(II) ,Cadmium in striking optical filter glass types; excluding applications	Applies to categories 1 to 7 and 10	
falling under point 39 of this Annex	expires on 21 July 2021 for	
	categories 1 to 7 and 10'	
13(b)-(III), Cadmium and lead in glazes used for reflectance standards	Applies to categories 1 to 7 and 10;	
	expires on 21 July 2021 for	
	categories 1 to 7 and 10'	
14, Lead in solders consisting of more than two elements for the connection	Expires on 1 January 2011 and	
between the pins and the package of micropro-cessors with a lead content of more	after that date may be used in	
than 80 % and less than 85 % by weight	spare parts for EEE placed on the	
15, Lead in solders to complete a viable electrical connection between	market before 1 January 2011	
semiconductor die and carrier within integrated circuit flip chip packages		
17, Lead halide as radiant agent in high intensity discharge (HID) lamps used for		
professional reprography applications		
18(b), Lead as activator in the fluorescent powder (1 % lead by weight or less) of		
discharge lamps when used as sun tanning lamps containing phosphors such as BSP (BaSi ₂ O ₅ :Pb)		
21, Lead and cadmium in printing inks for the application of enamels on glasses,		
such as borosilicate and soda lime glasses		
23, Lead in finishes of fine pitch components other than connectors with a pitch of	May be used in spare parts for	
0,65 mm and less	EEE placed on the market before 24 September 2010	
24, Lead in solders for the soldering to machined through hole discoidal and planar		
array ceramic multilayer capacitors		
25, Lead oxide in surface conduction electron emitter displays (SED) used in structural elements, notably in the seal frit and frit ring		
29, Lead bound in crystal glass as defined in Annex I (Categories 1, 2, 3 and 4) of		
Council Directive 69/493/EEC (1)		

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802



Reference No.: SZ2017070513-1R1E Date: Aug. 23, 2017 Page No.: 20 of 26

Exemptions	
RoHS Directive 2011/65/EU ANNEX III and its subsequent amendments	
Exemption Items	Expires Date
30, Cadmium alloys as electrical/mechanical solder joints to elec-trical conductors	
located directly on the voice coil in transducers used in high-powered	
loudspeakers with sound pressure levels of 100 dB (A) and more	
31, Lead in soldering materials in mercury free flat fluorescent lamps (which e.g.	
are used for liquid crystal displays, design or industrial lighting)	
32, Lead oxide in seal frit used for making window assemblies for Argon and	
Krypton laser tubes	
33, Lead in solders for the soldering of thin copper wires of 100 $$ $$ μm diameter and	
less in power transformers	
34, Lead in cermet-based trimmer potentiometer elements	
37, Lead in the plating layer of high voltage diodes on the basis of a zinc borate	
glass body	
38, Cadmium and cadmium oxide in thick film pastes used on aluminium bonded	
beryllium oxide	
41, Lead in solders and termination finishes of electrical and electronic	Expires on 31 December 2018
components and finishes of printed circuit boards used in ignition modules and	
other electrical and electronic engine control systems, which for technical reasons	
must be mounted directly on or in the crankcase or cylinder of hand-held	
combustion engines (classes SH:1, SH:2, SH:3 of Directive 97/68/EC of the	
European Parliament and of the Council)	
Note: (1) OJ L 326, 29.12.1969, p.36.	

Exemptions	
RoHS Directive 2011/65/EU ANNEX IV and its subsequent amendments Equipment onizing or detecting onizing radiation	
Exemption Items	Expires Date
Lead, cadmium and mercury in detectors for onizing radiation.	
2. Lead bearings in X-ray tubes.	
3. Lead in electromagnetic radiation amplification devices: micro-channel plate and capillary plate.	
4. Lead in glass frit of X-ray tubes and image intensifiers and lead in glass frit binder for assembly of gas lasers and for vacuum tubes that convert electromagnetic radiation into electrons.	
5. Lead in shielding for onizing radiation.	
6. Lead in X-ray test objects.	
7. Lead stearate X-ray diffraction crystals.	
8. Radioactive cadmium isotope source for portable X-ray fluorescence spectrometers.	
Sensors, detectors and electrodes	
8.1a. Lead and cadmium in ion selective electrodes including glass of pH electrodes.	
8.1b. Lead anodes in electrochemical oxygen sensors.	
8.1c. Lead, cadmium and mercury in infra-red light detectors.	

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802

 $\label{eq:Fax: +86/(0)512 87661802} Fax: +86/(0)512 87661802 & Web:www.stq-cert.com \\ \mbox{Technical service: } \underline{\mbox{TS@stq-cert.com}} & Customer service: \underline{\mbox{CS@stq-cert.com}} \\ \end{array}$



Reference No. : SZ2017070513-1R1E Date : Aug. 23, 2017 Page No. : 21 of 26

Exemptions	
RoHS Directive 2011/65/EU ANNEX IV and its subsequent amendments	
Equipment onizing or detecting onizing radiation	
Exemption Items	Expires Date
8.1d. Mercury in reference electrodes: low chloride mercury chloride,	ļ
mercury sulphate and mercury oxide.	
9. Cadmium in helium-cadmium lasers.	
10. Lead and cadmium in atomic absorption spectroscopy lamps.	
11. Lead in alloys as a superconductor and thermal conductor in MRI.	
12. Lead and cadmium in metallic bonds creating superconducting	Expires on 30 June 2021
magnetic circuits in MRI, SQUID, NMR (Nuclear Magnetic Resonance) or	
FTMS (Fourier Transform Mass Spectrometer) detectors.	
13. Lead in counterweights.	
14. Lead in single crystal piezoelectric materials for ultrasonic	
transducers.	
15. Lead in solders for bonding to ultrasonic transducers.	
16. Mercury in very high accuracy capacitance and loss measurement	
bridges and in high frequency RF switches and relays in monitoring and	
control instruments not exceeding 20 mg of mercury per switch or relay.	
17. Lead in solders in portable emergency defibrillators.	
18. Lead in solders of high performance infrared imaging modules to	
detect in the range 8-14 µm.	
19. Lead in Liquid crystal on silicon (LcoS) displays.	
20. Cadmium in X-ray measurement filters.	
21. Cadmium in phosphor coatings in image intensifiers for X-ray images	
until 31 December 2019 and in spare parts for X-ray systems placed on	
the EU market before 1 January 2020.	
22. Lead acetate marker for use in stereotactic head frames for use with	Expires on 30 June 2021.
CT and MRI and in positioning systems for gamma beam and particle	
therapy equipment.	
23. Lead as an alloying element for bearings and wear surfaces in	Expires on 30 June 2021
medical equipment exposed to ionising radiation.	
24. Lead enabling vacuum tight connections between aluminium and	Expires on 31 December 2019
steel in X-ray image intensifiers.	
25. Lead in the surface coatings of pin connector systems requiring	Expires on 30 June 2021
nonmagnetic connectors which are used durably at a temperature below	
 20 °C under normal operating and storage conditions. 	
26. Lead in the following applications that are used durably at a	Expires on 30 June 2021
temperature below - 20 °C under normal operating and storage	
conditions:	
(a) solders on printed circuit boards;	
(b)termination coatings of electrical and electronic components and	
coatings of printed circuit boards;	
(c) solders for connecting wires and cables;	
(d) solders connecting transducers and sensors.	
Lead in solders of electrical connections to temperature measurement	
sensors in devices which are designed to be used periodically at	
temperatures below – 150 °C.	

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802



Reference No. : SZ2017070513-1R1E Date : Aug. 23, 2017 Page No. : 22 of 26

Exemptions	
RoHS Directive 2011/65/EU ANNEX IV and its subsequent amendments	
Equipment onizing or detecting onizing radiation	
Exemption Items	Expires Date
27. Lead in — solders, — termination coatings of electrical and electronic components and printed circuit boards, — connections of electrical wires, shields and enclosed connectors, which are used in magnetic fields within the sphere of 1 m radius around the isocentre of the magnet in medical magnetic resonance imaging equipment, including patient monitors designed to be used within this sphere, or	Expires on 30 June 2020
magnetic fields within 1 m distance from the external surfaces of cyclotron magnets, magnets for beam transport and beam direction control applied for particle therapy.	
28. Lead in solders for mounting cadmium telluride and cadmium zinc telluride digital array detectors to printed circuit boards.	Expires on 31 December 2017
29. Lead in alloys, as a superconductor or thermal conductor, used in cryo-cooler cold heads and/or in cryo-cooled cold probes and/or in cryo-cooled equipotential bonding systems, in medical devices (category 8) and/or in industrial monitoring and control instruments. 30. Hexavalent chromium in alkali dispensers used to create photocathodes in X-ray image intensifiers until 31 December 2019 and in	Expires on 30 June 2021
spare parts for X-ray systems placed on the EU market before 1 January 2020.	
31a. Lead, cadmium, hexavalent chromium, and polybrominated diphenyl ethers (PBDE) in spare parts recovered from and used for the repair or refurbishment of medical devices, including in vitro diagnostic medical devices, or electron microscopes and their accessories, provided that the reuse takes place in auditable closed-loop business-to-business return systems and that each reuse of parts is notified to the customer.	Expires on: (a) 21 July 2021 for the use in medical devices other than in vitro diagnostic medical devices; (b) 21 July 2023 for the use in in vitro diagnostic medical devices; (c) 21 July 2024 for the use in electron microscopes and their accessories.'
32. Lead in solders on printed circuit boards of detectors and data acquisition units for Positron Emission Tomographs which are integrated nto Magnetic Resonance Imaging equipment.	Expires on 31 December 2019
33. Lead in solders on populated printed circuit boards used in Directive 93/42/EEC class IIa and IIb mobile medical devices other than portable emergency defibrillators.	Expires on 30 June 2016 for class IIa and on 31 December 2020 for class IIb.
34. Lead as an activator in the fluorescent powder of discharge lamps when used for extracorporeal photopheresis lamps containing BSP BaSi₂O₅:Pb) phosphors.	Expires on 22 July 2021
35. Mercury in cold cathode fluorescent lamps for back-lighting liquid crystal displays, not exceeding 5 mg per lamp, used in industrial monitoring and control instruments placed on the market before 22 July 2017	Expires on 21 July 2024

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802



Reference No.: SZ2017070513-1R1E Date: Aug. 23, 2017 Page No.: 23 of 26

Exemptions	
RoHS Directive 2011/65/EU ANNEX IV and its subsequent amendments Equipment onizing or detecting onizing radiation	
Exemption Items	Expires Date
36. Lead used in other than C-press compliant pin connector systems for	Expires on 31 December 2020. May be
industrial monitoring and control instruments.	used after that date in spare parts for
	industrial monitoring and control
	instruments placed on the market before 1
	January 2021.'
37. Lead in platinized platinum electrodes used for conductivity	Expires on 31 December 2018
measurementswhere at least one of the following conditions applies:	
(a) wide-range measurements with a conductivity range covering more	
than 1 order of magnitude (e.g. range between 0,1 mS/m and 5 mS/m) in	
laboratory applications for unknown concentrations;	
(b) measurements of solutions where an accuracy of +/- 1 % of the	
sample range and where high corrosion resistance of the electrode are	
required for any of the following:	
(i) solutions with an acidity < pH 1;	
(ii) solutions with an alkalinity > pH 13;	
(iii) corrosive solutions containing halogen gas;	
(c) measurements of conductivities above 100 mS/m that must be	
performed with portable instruments.	
38. Lead in solder in one interface of large area stacked die elements with more than 500 interconnects per interface which are used in X-ray detectors of computed tomography and X-ray systems	Expires on 31 December 2019. May be used after that date in spare parts for CT and X-ray systems placed on the market before 1 January 2020.



Reference No. : SZ2017070513-1R1E Date : Aug. 23, 2017 Page No. : 24 of 26

Exemptions	
RoHS Directive 2011/65/EU ANNEX IV and its subsequent amendments Equipment onizing or detecting onizing radiation	
Exemption Items	Expires Date
39. Lead in micro-channel plates (MCPs) used in equipment where at	(a) 21 July 2021 for medical devices and
least one of the following properties is present:	monitoring and control instruments;
(a)a compact size of the detector for electrons or ions, where the space	(b) 21 July 2023 for in-vitro diagnostic
for the detector is limited to a maximum of 3 mm/MCP (detector	medical devices;
thickness+space for installation of the MCP), a maximum of 6 mm in total,	(c) 21 July 2024 for industrial monitoring
and an alternative design yielding more space for the detector is	and control instruments
scientifically and technically impracticable;	
(b)a two-dimensional spatial resolution for detecting electrons or ions,	
where at least one of the following applies:	
(i)a response time shorter than 25 ns;	
(ii)a sample detection area larger than 149 mm ² ;	
(iii)a multiplication factor larger than 1.3×10^3 .	
(c)a response time shorter than 5 ns for detecting electrons or ions;	
(d)a sample detection area larger than 314 mm ² for detecting electrons or	
ions;	
(e)a multiplication factor larger than 4.0×10^7 .	
40. Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC for industrial monitoring and control instruments	Expires on 31 December 2020. May be used after that date in spare parts for industrial monitoring and control instruments placed on the market before 1 January 2021
41. Lead as a thermal stabiliser in polyvinyl chloride (PVC) used as base material in amperometric, potentiometric and conductometric electrochemical sensors which are used in in-vitro diagnostic medical devices for the analysis of blood and other body fluids and body gases.	Expires on 31 December 2018
42. Mercury in electric rotating connectors used in intravascular ultrasound imaging systems capable of high operating frequency (> 50 MHz) modes of operation.	Expires on 30 June 2019
43. Cadmium anodes in Hersch cells for oxygen sensors used in industrial monitoring and control instruments, where sensitivity below 10 ppm is required.	Expires on 15 July 2023

******* To be continued *******

STQ Testing Services Co., Ltd.

Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802



Reference No.: SZ2017070513-1R1E Date: Aug. 23, 2017 Page No.: 25 of 26

TESTED MAIN MODEL'S PRODUCT PHOTO



TESTED MAIN MODEL'S PRODUCT PHOTO



****** To be continued ******

STQ Testing Services Co., Ltd.


Add.:3F,B3,218 Xinghu St., Suzhou Industrial Park,China,215123 Tel.:+86/(0)512 87661878 Fax: +86/(0)512 87661802




Reference No. : SZ2017070513-1R1E Date : Aug. 23, 2017 Page No. : 26 of 26

REFERENCE PHOTOS

The photos were submitted by the client, only for reference.





9 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 3

10436





KC6869 M08472

****** END OF REPORT *******

Technical service: TS@stq-cert.com

Customer service: CS@stq-cert.com